



PRICE LIST IDEC



Điện City
Connect & Innovate



Think Automation and beyond...



Pilot light, flush Φ22	Part No.	Operating voltage	Unit price (USD)
LED, without transformer, from panel front: IP65			
	YW1P-1EQM3 (R, Y, W, A) YW1P-1EQM3 (G, S, PW) YW1P-1EQ4 (R, Y, W, A) YW1P-1EQ4 (G, S, PW) YW1P-1EQH (R, Y, W, A) YW1P-1EQH (G, S, PW)	220V AC/DC 220V AC/DC 24V AC/DC 24V AC/DC 110V AC/DC 110V AC/DC	\$2,78 \$3,09 \$2,78 \$3,09 \$2,78 \$3,30
LED: Unibody type, without transformer, from panel front: IP65			
	YW1P-1UQM3 (R, Y, W, A) YW1P-1UQM3 (G, S) YW1P-1UQM3PW YW1P-1UQ4 (R, Y, W, A) YW1P-1UQ4 (G, S) YW1P-1UQ4PW	220V AC 220V AC 220V AC 24V AC/DC 24V AC/DC 24V AC/DC	\$2,57 \$2,78 \$3,26 \$2,57 \$2,78 \$3,26
LED, with transformer, from panel front: IP65			
	YW1P-1EM42 (R, Y, W, A) YW1P-1EM42 (G, S, PW) YW1P-1EH2 (R, Y, W, A) YW1P-1EH2 (G, S, PW)	220V AC 220V AC 110V AC 110V AC	\$4,91 \$5,61 \$4,91 \$5,61
Pilot light, dome Φ22	Part No.	Operating voltage	Unit price (USD)
LED, without transformer, from panel front: IP65			
	YW1P-2EQM3 (R, Y, W, A) YW1P-2EQM3 (G, S, PW) YW1P-2EQ4 (R, Y, W, A) YW1P-2EQ4 (G, S, PW) YW1P-2EQH (R, Y, W, A) YW1P-2EQH (G, S, PW)	220V AC/DC 220V AC/DC 24V AC/DC 24V AC/DC 110V AC/DC 110V AC/DC	\$2,78 \$3,09 \$2,78 \$3,09 \$2,78 \$3,30
LED: Unibody type, without transformers, from panel front: IP65			
	YW1P-2UQM3 (R, Y, W, A) YW1P-2UQM3 (G, S) YW1P-2UQM3PW YW1P-2UQ4 (R, Y, W, A) YW1P-2UQ4 (G, S) YW1P-2UQ4PW	220V AC 220V AC 220V AC 24V AC/DC 24V AC/DC 24V AC/DC	\$2,57 \$2,78 \$3,26 \$2,57 \$2,78 \$3,26
LED, with transformer, from panel front: IP65			
	YW1P-2EM42 (R, Y, W, A) YW1P-2EM42 (G, S, PW) YW1P-2EH2 (R, Y, W, A) YW1P-2EH2 (G, S, PW)	220V AC 220V AC 110V AC 110V AC	\$4,91 \$5,61 \$4,91 \$5,61







G: Green - R: Red - Y: Yellow - W: White - A: Amber - S: Blue - PW: Pure white

Illuminated pushbuttons Ø22	Part No.	Description		Unit price (USD)
		Contact	Operating voltage	
Illuminated pushbuttons, extended, momentary, from panel front: IP65				
	YW1L-M2E10QM3 (R, Y)	1NO, momentary	220V AC/DC	\$5,57
	YW1L-M2E10QM3G			\$6,87
	YW1L-M2E11QM3 (R, Y)	1NC-1NO, momentary	24V AC/DC	\$7,04
	YW1L-M2E11QM3G			\$8,35
	YW1L-M2E10Q4 (R, Y)	1NO, momentary	220V AC/DC	\$5,57
	YW1L-M2E10Q4G			\$6,87
	YW1L-M2E11Q4 (R, Y)	1NC-1NO, momentary	24V AC/DC	\$7,04
	YW1L-M2E11Q4G			\$8,35
	YW1L-A2E10QM3 (R, Y)	1NO, maintained	220V AC/DC	\$6,91
	YW1L-A2E10QM3G			\$8,00
	YW1L-A2E11QM3 (R, Y)	1NC-1NO, maintained	220V AC/DC	\$8,39
	YW1L-A2E11QM3G			\$9,48
	YW1L-A2E10Q4 (R, Y)	1NO, maintained	24V AC/DC	\$6,91
	YW1L-A2E10Q4G			\$8,00
	YW1L-A2E11Q4 (R, Y)	1NC-1NO, maintained	24V AC/DC	\$8,39
	YW1L-A2E11Q4G			\$9,48
Illuminated pushbuttons, extended, maintained, from panel front: IP65				
	YW1L-MF2E10QM3 (R, Y)	1NO, momentary	220V AC/DC	\$8,31
	YW1L-MF2E10QM3G			\$11,35
	YW1L-MF2E11QM3 (R, Y)	1NC-1NO, momentary	24V AC/DC	\$9,78
	YW1L-MF2E11QM3G			\$10,91
	YW1L-MF2E10Q4 (R, Y)	1NO, momentary	220V AC/DC	\$8,31
	YW1L-MF2E10Q4G			\$11,35
	YW1L-MF2E11Q4 (R, Y)	1NC-1NO, momentary	24V AC/DC	\$9,78
	YW1L-MF2E11Q4G			\$10,91
	YW1L-AF2E10QM3 (R, Y)	1NO, maintained	220V AC/DC	\$9,65
	YW1L-AF2E10QM3G			\$10,74
	YW1L-AF2E11QM3 (R, Y)	1NC-1NO, maintained	220V AC/DC	\$11,13
	YW1L-AF2E11QM3G			\$12,22
	YW1L-AF2E10Q4 (R, Y)	1NO, maintained	24V AC/DC	\$9,65
	YW1L-AF2E10Q4G			\$10,74
	YW1L-AF2E11Q4 (R, Y)	1NC-1NO, maintained	24V AC/DC	\$11,13
	YW1L-AF2E11Q4G			\$12,22

G: Green - R: Red - Y: Yellow

Price excluded V.A.T

Illuminated pushbuttons Ø22	Part No.	Description	Unit price (USD)
Emergency stop, from panel front: IP65			
	YW1B-V4E01R	1NC	\$3,91
	YW1B-V4E02R	2NC	\$5,39
	YW1B-V4E11R	1NO - 1NC	\$5,39
Pushbuttons, from panel front: IP65			
	YW1B-M1E01 (B, G, R, Y, S)	1NC, momentary	\$2,39
	YW1B-M1E10 (B, G, R, Y, S)	1NO, momentary	\$2,39
	YW1B-M1E11 (B, G, R, Y, S)	1NC-1NO, momentary	\$3,87
	YW1B-A1E01 (B, G, R, Y, S)	1NC, maintained	\$3,74
	YW1B-A1E10 (B, G, R, Y, S)	1NO, maintained	\$3,74
	YW1B-A1E11 (B, G, R, Y, S)	1NC-1NO, maintained	\$5,22
Selector switches Ø22	Part No.	Description	Unit price (USD)
Selector switches, 2 position (90°), from panel front: IP65			
	L R	YW1S-2E10	1NO, maintained
		YW1S-2E20	2NO, maintained
		YW1S-2E11	1NO-1NC, maintained
	L R	YW1S-21E10	1NO, spring return from right
		YW1S-21E20	2NO, spring return from right
		YW1S-21E11	1NO-1NC, spring return from right
Key selector switches, 2 position (90°), from panel front: IP65			
	L R	YW1K-2AE10	1NO, maintained
		YW1K-2AE20	2NO, maintained
		YW1K-2AE11	1NO-1NC, maintained
	L R	YW1K-21BE10	1NO, spring return from right
		YW1K-21BE20	2NO, spring return from right
		YW1K-21BE11	1NO-1NC, spring return from right

Selector switches Φ22	Part No.	Description	Unit price (USD)
Selector switches, 3 position (45°), from panel front: IP65			
	YW1S-3E02	2NC, maintained	\$4,30
	YW1S-3E20	2NO, maintained	\$4,30
	YW1S-3E11	1NO-1NC, maintained	\$4,30
	YW1S-31E02	2NC, spring return from right	\$5,13
	YW1S-31E20	2NO, spring return from right	\$5,13
	YW1S-31E11	1NO-1NC, spring return from right	\$5,13
	YW1S-32E02	2NC, spring return from left	\$5,13
	YW1S-32E20	2NO, spring return from left	\$5,13
	YW1S-32E11	1NO-1NC, spring return from left	\$5,13
	YW1S-33E02	2NC, spring return from tow-way	\$5,13
	YW1S-33E20	2NO, spring return from tow-way	\$5,13
	YW1S-33E11	1NO-1NC, spring return from tow-way	\$5,13
Key selector switches, 3 position (45°), from panel front: IP65			
	YW1K-3AE02	2NC, maintained	\$10,61
	YW1K-3AE20	2NO, maintained	\$10,61
	YW1K-3AE11	1NO-1NC, maintained	\$10,61
	YW1K-31BE02	2NC, spring return from right	\$10,61
	YW1K-31BE20	2NO, spring return from right	\$10,61
	YW1K-31BE11	1NO-1NC, spring return from right	\$10,61
	YW1K-32CE02	2NC, spring return from left	\$10,61
	YW1K-32CE20	2NO, spring return from left	\$10,61
	YW1K-32CE11	1NO-1NC, spring return from left	\$10,61
	YW1K-33DE02	2NC, spring return from tow-way	\$10,61
	YW1K-33DE20	2NO, spring return from tow-way	\$10,61
	YW1K-33DE11	1NO-1NC, spring return from tow-way	\$10,61

A6 series, Φ16	Part No.	Description	Unit price (USD)
Round pushbuttons			
	AB6M-M1 (G, R, Y, W)C AB6M-M2 (G, R, Y, W)C AB6M-A1 (G, R, Y, W)C AB6M-A2 (G, R, Y, W)C	SPDT, momentary DPDT, momentary SPDT, maintained DPDT, maintained	\$4,48 \$8,09 \$7,09 \$9,39
Round illuminated pushbuttons			
	AL6M-M14 (G, R, Y, W)C AL6M-M14SC AL6M-M24 (G, R, Y, W)C AL6M-M24SC AL6M-A14 (R, Y, W)C AL6M-A14 (G, S)C AL6M-A24 (G, R, Y, W)C AL6M-A24SC	SPDT, momentary, 24V DC SPDT, momentary, 24V DC DPDT, momentary, 24V DC DPDT, momentary, 24V DC SPDT, maintained, 24V DC SPDT, maintained, 24V DC DPDT, maintained, 24V DC DPDT, maintained, 24V DC	\$6,00 \$6,61 \$8,26 \$9,04 \$8,22 \$8,22 \$8,78 \$9,70
Round pilot light			
	AL6M-P4 (G, R, Y, W)C AL6M-P4SC	24V DC 24V DC	\$4,48 \$5,00
Round selector switches			
	AS6M-2Y1C AS6M-2Y2C AS6M-3Y2C	2 position, SPDT 2 position, DPDT 3 position, DPDT	\$8,26 \$11,22 \$11,22
Square pushbuttons			
	AB6Q-M1 (G, R, Y, W)C AB6Q-M2 (G, R, Y, W)C AB6Q-A1 (G, R, Y, W)C AB6Q-A2 (G, R, Y, W)C	SPDT, momentary DPDT, momentary SPDT, maintained DPDT, maintained	\$4,48 \$8,09 \$7,09 \$9,39
Square illuminated pushbuttons			
	AL6Q-M14 (G, R, Y, W)C AL6Q-M14SC AL6Q-M24 (G, R, Y, W)C AL6Q-M24SC AL6Q-A14 (R, Y, W)C AL6Q-A14 (G, S)C AL6Q-A24 (R, Y, W)C AL6Q-A24 (G, S)C	SPDT, momentary SPDT, momentary DPDT, momentary DPDT, momentary SPDT, maintained SPDT, maintained DPDT, maintained DPDT, maintained	\$6,00 \$6,61 \$8,26 \$9,04 \$8,22 \$9,13 \$8,78 \$9,70
Square pilot light			
	AL6Q-P4 (G, R, Y, W)C AL6Q-P4SC	24 V DC 24 V DC	\$4,48 \$5,00
Square selector			
	AS6Q-2Y1C AS6Q-2Y2C AS6Q-3Y2C	2 position, SPDT 2 position, DPDT 3 position, DPDT	\$8,26 \$11,22 \$11,22

A6 series, Φ16	Part No.	Description	Unit price (USD)
Rectangle pushbuttons			
	AB6H-M1 (G, R, Y, W)C	SPDT, momentary	\$4,50
	AB6H-M2 (G, R, Y, W)C	DPDT, momentary	\$8,12
	AB6H-A1 (G, R, Y, W)C	SPDT, maintained	\$7,11
	AB6H-A2 (G, R, Y, W)C	DPDT, maintained	\$9,43
Rectangle illuminated pushbuttons			
	AL6H-M14 (G, R, Y, W)C	SPDT, momentary, 24V DC	\$6,02
	AL6H-M14SC	SPDT, momentary, 24V DC	\$6,63
	AL6H-M24 (G, R, Y, W)C	DPDT, momentary, 24V DC	\$8,29
	AL6H-M24SC	DPDT, momentary, 24V DC	\$9,08
	AL6H-A14 (G, R, Y, W)C	SPDT, maintained, 24V DC	\$8,25
	AL6H-A14SC	SPDT, maintained, 24V DC	\$8,25
	AL6H-A24 (G, R, Y, W)C	DPDT, maintained, 24V DC	\$8,82
	AL6H-A24SC	DPDT, maintained, 24V DC	\$9,73
Rectangle pilot light			
	AL6H-P4 (G, R, Y, W)C	24V DC	\$4,50
	AL6H-P4SC	24V DC	\$5,02
Rectangle selector			
	AS6H-2Y1C	2 position, SPDT	\$8,29
	AS6H-2Y2C	2 position, DPDT	\$11,26
	AS6H-3Y2C	3 position, DPDT	\$11,26
Accessories	Part No.	Description	Unit price (USD)
	YW-E01	1NC, use for YW series	\$1,48
	YW-E10	1NO, use for YW series	\$1,48
	YW-EW02	2NC, use for YW series	\$3,75
	YW-EW20	2NO, use for YW series	\$3,75
	YW-EW11	1NC - 1NO, use for YW series	\$3,75
	HW-U01	1NC, use for TW series	\$7,33
	HW-U10	1NO, use for YW series	\$7,33
	LSED-2 (A, R, Y)N	LED 24V AC/DC	\$2,53
	LSED-2GN	LED 24V AC/DC	\$3,75
	LSED-2 (S, PW)N	LED 24V AC/DC	\$3,10
	LSED-M3 (A, R, Y)N	LED 220 VAC/DC	\$2,53
	LSED-M3GN	LED 220 VAC/DC	\$3,75
	LSED-M3 (S, PW)N	LED 220 VAC/DC	\$3,10
	LSED-H (A, R, Y)N	LED 110 VAC/DC	\$2,53
	LSED-HGN	LED 110 VAC/DC	\$3,75
	LSED-H (S, PW)N	LED 110 VAC/DC	\$3,32

G: Green - R: Red - Y: Yellow - W: White - A: Amber - S: Blue - PW: Pure white

Relay	Part No.	Description	Unit price (USD)
RJ1S: Compact relay, 1 pole, $I_{Max} = 12A$			
	RJ1S-CL-D24	5 pole, with led indicator, 12A/24V DC	\$3,93
	RJ1S-CL-A24	5 pole, with led indicator, 12A/24V AC	\$4,36
	RJ1S-CL-A110	5 pole, with led indicator, 12A/110V AC	\$4,36
	RJ1S-CL-A230	5 pole, with led indicator, 12A/230V AC	\$5,33
RJ2S: Compact relay, 2 pole, $I_{Max} = 8A$			
	RJ2S-CL-D24	8 pole, with led indicator, 8A/24V DC	\$4,23
	RJ2S-CL-A24	8 pole, with led indicator, 8A/24V AC	\$4,76
	RJ2S-CL-A110	8 pole, with led indicator, 8A/110V AC	\$4,76
	RJ2S-CL-A230	8 pole, with led indicator, 8A/230V AC	\$5,54
RN2S: Standard relay, 2 pole, $I_{Max} = 5A$			
	RN2S-NL-D24	8 pole, with led indicator, 5A/24V DC	\$3,97
	RN2S-NL-A24	8 pole, with led indicator, 5A/24V AC	\$4,32
	RN2S-NL-A115	8 pole, with led indicator, 5A/110V AC	\$4,32
	RN2S-NL-A230	8 pole, with led indicator, 5A/230V AC	\$4,32
RN4S: Standard relay, 4 pole, $I_{Max} = 3A$			
	RN4S-NL-D24	14 pole, with led indicator, 3A/24V DC	\$4,50
	RN4S-NL-A24	14 pole, with led indicator, 3A/24V AC	\$4,80
	RN4S-NL-A115	14 pole, with led indicator, 3A/110V AC	\$4,80
	RN4S-NL-A230	14 pole, with led indicator, 3A/230V AC	\$4,50
RU2S: Standard relay, 2 pole, $I_{Max} = 10A$ (Made in Japan)			
	RU2S-D24	8 pole, with led indicator, 10A/24V DC	\$4,89
	RU2S-A24	8 pole, with led indicator, 10A/24V AC	\$5,33
	RU2S-A110	8 pole, with led indicator, 10A/110V AC	\$5,33
	RU2S-A220	8 pole, with led indicator, 10A/220V AC	\$4,89
RU4S: Standard relay, 4 pole, $I_{Max} = 6A$ (Made in Japan)			
	RU4S-D24	14 pole, with led indicator, 6A/24V DC	\$5,63
	RU4S-A24	14 pole, with led indicator, 6A/24V AC	\$6,07
	RU4S-A110	14 pole, with led indicator, 6A/110V AC	\$6,07
	RU4S-A220	14 pole, with led indicator, 6A/220V AC	\$5,63

Relay	Part No.	Description	Unit price (USD)
RR2P: Power relay, 2 pole, $I_{Max} = 10A$			
	RR2P-ULDC24	8 pole, with led indicator, 10A/24V DC	\$9,91
	RR2P-ULAC24	8 pole, with led indicator, 10A/24V AC	\$11,26
	RR2P-ULAC110	8 pole, with led indicator, 10A/110V AC	\$11,26
	RR2P-ULAC220	8 pole, with led indicator, 10A/220V AC	\$9,91
RH2B: Power relay, 2 pole, $I_{Max} = 10A$			
	RH2B-ULDC24	8 pole, with led indicator, 10A/24V DC	\$6,11
	RH2B-ULAC24	8 pole, with led indicator, 10A/24V AC	\$6,37
	RH2B-ULAC110-120	8 pole, with led indicator, 10A/110V AC	\$6,37
	RH2B-ULAC220-240	8 pole, with led indicator, 10A/220V AC	\$6,11
RH4B: Power relay, 4 pole, $I_{Max} = 10A$			
	RH4B-ULDC24	14 pole, with led indicator, 10A/24V DC	\$16,06
	RH4B-ULAC24	14 pole, with led indicator, 10A/24V AC	\$20,21
	RH4B-ULAC110	14 pole, with led indicator, 10A/110V AC	\$20,21
	RH4B-ULAC220	14 pole, with led indicator, 10A/220V AC	\$16,06
RV8H: Compact relay, 1 pole			
	RV8H-L-AD24	SPDT, 24V AC/DC	\$13,40
	RV8H-L-AD220	SPDT, 220-240V AC/DC	\$15,23
	SV9Z-J20B	Jumper	\$25,53
	SV9Z-PW10	Marking plate	\$0,83
	SV9Z-SA2W	Din Rail Spacer (Polyamide - gray color)	\$0,92
RL: Relay 1 Pole, Screw Terminal, Din Rail, $I_{Max} = 30A$			
	RL1N-D-D24	1P, 24V DC	\$22,92
	RL1N-D-A24	1P, 24V AC	\$25,75
	RL1N-D-A100	1P, 100-120V AC	\$25,75
	RL1N-D-A200	1P, 200-240V AC	\$25,75
RL: Relay 2 Pole, Screw Terminal, Din Rail, $I_{Max} = 25A$			
	RL2N-D-D24	2P, 24V DC	\$25,75
	RL2N-D-A24	2P, 24V AC	\$28,63
	RL2N-D-A100	2P, 100-120V AC	\$28,63
	RL2N-D-A200	2P, 200-240V AC	\$28,63

Timer	Part No.	Description				Unit price (USD)			
		Time range	Voltage	Contact	Function				
Timer on delay									
	GE1A-B30HA220	0.3s - 3s, 3s - 30s, 0.3m - 3m, 3m - 30m 0.3h - 3h, 3h - 30h	220V AC	Delay SPDT + instantaneous SPDT	On delay	\$21,61			
	GE1A-B30HAD24	0.3s - 3s, 3s - 30s, 0.3m - 3m, 3m - 30m 0.3h - 3h, 3h - 30h	24VDC/AC			\$21,61			
Multifunction timer									
	GT3A-3AF20	0.1s - 180h	100 - 240V AC	Delay DPDT	On delay, Interval on, Cycle on, Cycle off	\$33,61			
	GT3A-3AD24		24VDC/AC			\$33,61			
Timer off delay									
	GT3F-2AF20	0.1s - 600s	100-240V AC	Delay DPDT	Off delay	\$51,50			
	GT3F-2AD24		24V DC/AC			\$51,50			
Star - delta timer									
	GT3S-1AF20	Y: 0.05 - 100s Y - Δ: 0.05s 0.1s 0.25s 0.5s	100- 240V AC	Delayed Δ: SPST - NO Y: SPST - NO	Sao - tam giác	\$44,52			
Twin timer									
	GT3W-A11AF20N	T1: 0.1s-6h	100-240V AC	Delay SPDT + Delay SPDT	- Sequential Start - Coarse/Fine Adjustment - Instantaneous Cycle - Cycle	\$99,9			
	GT3W-A11AD24N	T2 : 0.1s-6h	24V DC/AC			\$99,9			
Miniature timer									
	GT5P-N60SA200	60s	200-240VAC	SPDT	On Delay	\$20,96			
	GT5P-N10MA200	10m				\$20,96			
	GT5P-N60SAD24	60s	24V DC/AC			\$20,96			
	GT5P-N10MAD24	10m				\$20,96			
Miniature timer									
	GT5Y-2SN6A200	6s/60s/6m/60m	200-240V AC	DPDT	On Delay	\$27,56			
	GT5Y-2SN6D24	6s/60s/6m/60m	24V DC			\$27,56			
	GT5Y-4SN6A200	6s/60s/6m/60m	200-240V AC	4PDT		\$28,52			
	GT5Y-4SN6D24	6s/60s/6m/60m	24V DC			\$28,52			
Relay socket, timer		Part No.	Description			Unit price (USD)			
		SJ1S-05B	Use for RJ1S			\$2,30			
		SJ2S-05B	Use for RJ2S			\$2,61			
		SN2S-05D	Use for RU2S, RN2S, GT5Y-2			\$2			
		SN4S-05D	Use for RU4S, RN4S, GT5Y-4			\$2,13			
		SR2P-06B	Use for RR2P, GE1A, GT3A-1,2,3; GT3F; GT3S; GT5P			\$2,43			
		SH2B-05B	Use for RH2B			\$3,09			
		SH4B-05B	Use for RH4B			\$5,26			

diencity.com



TOH

CIRCUTOR

VTEKE

KAKU®



TAIWAN METERS PLANT

Fuji Electric

Innovating Energy Technology

MITSUBISHI ELECTRIC

Changes for the Better

INOVANCE



Điện City

Hotline: 0909 808 905

Email: minh.diencity@gmail.com