METTLER TOLEDO

SWB805 Hygienic Weigh Module » Installation Guide



Download the Installation Guide:

EU-W: English, Deutsch, Español,


Français, Italiano, Nederlands, Português


EU N: Svenska, Dansk, Norsk


EU E: Polski, Čeština, Magyar, Русский, Türkçe















METTLER TOLEDO

SWB805 Hygienic Weigh Module » Installation Guide




EU-W: English, Deutsch, Español,


Français, Italiano, Nederlands, Português

EU N: Svenska, Dansk, Norsk

EU E: Polski, Čeština, Magyar, Русский, Türkçe

www.mt.com/ind-SWB805-downloads





Installation Tips and Precautions:

- Never cut the load cell's cable or extend its length.
- Inspect gaskets monthly.
- Avoid moisture and dust.
- Ensure voltage stability use a regulated power
- Avoid overload and shock.
- Ensure good grounding.
- For hazardous area installations in Europe, refer to enclosed instructions (30104376 / 175389R).

Note:

May be covered by one or more patent(s): visit www.mt.com/patentmarking



Contact authorized METTLER TOLEDO service technician to activate the weigh modules for startup and calibration.

Contact Information:

www.mt.com/contact

© 2017 Mettler-Toledo GmbH, Switzerland 01/2017 | 30382775A