## SWC515-A PinMount<sup>TM</sup> / SWC615-A PowerMount<sup>TI</sup>

# Weigh Modul





#### Download Installation Guide:

- EU W: English, Deutsch, Español, Français, Italiano, Nederlands, Português
- EU N: Svenska, Dansk, Norsk
- EU E: Polski, Čeština, Magyar, Русский, Türkçe

www.mt.com/ind-downloads-pinmount





#### Download Installation Guide:

- EU W: English, Deutsch, Español, Français, Italiano, Nederlands, Português
- EU N: Svenska, Dansk, Norsk EU E: Polski, Čeština, Magyar, Русский, Türkçe
- www.mt.com/ind-downloads-615powermount



## **METTLER TOLEDO**



Download Installation Guide: Installation Guide is available in: English, German, Spanish, French, Italian, Dutch, Portuguese, Swedish, Danish, Norwegian, Polish, Czech, Hungarian, Russian, Turkish




Download Installation Guide: Installation Guide is available in English, German, Spanish, Frenc Italian, Dutch, Portuguese, Swed Danish, Norwegian, Polish, Cze Hungarian, Russian, Turkish


www.mt.com/ind-downloads-pinmount


www.mt.com/ind-downloads-615powe




SWC515-A PinMount™ / SWC615-A PowerMount™ Weigh Module » Installation









## **METTLER TOLEDO**

**Download Installation Guide:** Installation Guide is available in: English, German, Spanish, French, Italian, Dutch, Portuguese, Swedish, Danish, Norwegian, Polish, Czech, Hungarian, Russian, Turkish



**Download Installation Guide:** Installation Guide is available in English, German, Spanish, Fren Italian, Dutch, Portuguese, Swed Danish, Norwegian, Polish, Cze Hungarian, Russian, Turkish

**Bolt I** 

www.mt.com/ind-downloads-pinmount

www.mt.com/ind-downloads-615powe

Tank Lea

**LEVEL AND GROUT** the weigh module:

SWC515-A PinMount™ / SWC615-A PowerMount™ Weigh Module » Installation



### **Installation Tips and Precautions:**

- Never cut the load cell's cable or extend its length.
- Avoid moisture and dust.
- Ensure voltage stability use a regulated power supply.
- Avoid overload and shock.
- Ensure good grounding.
- For hazardous area installations in Europe, refer to the enclosed instructions (30104376 / 175389R).




Contact authorized METTLER TOLEDO service technician to activate the weigh modules for startup and calibration.

### **Contact Information:**

www.mt.com/contact

For patent rights see www.mt.com/patentmarking

© 2022 Mettler Toldedo GmbH, Switzerland 04/2022 | 30577567



Weld pitch: 3" / 75mm, 2" / 50 mm between welds on all four sides Weld sizes: 7,5-22t modules 20-50t modules

> 0,24" / 6mm fillet 0,32" / 8mm fillet 1" / 25mm long 1" / 25 mm long

**Bolt top plate** 

to tank leg

Leveling



- OR -

#### **WELD** the weigh module: • Remove load cell from weigh module before welding.



