



Product Overview

- Economical pre-filter
- Suitable for high humidity conditions
- Reusable filter frame
- Replaceable filter media
- Lightweight and compact size



Specification

EN779	G3, G4
ASHRAE 52.2	MERV 5, 7
ISO 16890	Coarse 60%, 70%
Filter Depth (mm)	46, 97
Media Type	Synthetic
Frame Material	Aluminium
Special Size Available	Yes
Antimicrobial Available	No
Recommended Final Resistance	250 Pa
Max Operating Temperature	100°C

Product Information

Part Number	Media	Nominal Size Inches (W x H x D)	Actual Size mm (W x H x D)	Rated Airflow (CMH)	Rated Initial Resistance (Pa)
G3 / MERV 5 / Coarse 60%					
T111-292-021	R29	16 x 20 x 2	391 x 492 x 46	1,890	83
T111-292-015		20 x 20 x 2	492 x 492 x 46	2,360	
T111-292-006		12 x 24 x 2	289 x 594 x 46	1,700	
T111-292-005		20 x 24 x 2	492 x 594 x 46	2,830	
T111-292-004		24 x 24 x 2	594 x 594 x 46	3,400	
T111-292-088		16 x 25 x 2	391 x 619 x 46	2,360	
T111-292-068		20 x 25 x 2	492 x 619 x 46	2,950	72
T111-294-016		16 x 20 x 4	391 x 492 x 97	1,890	
T111-294-004		20 x 20 x 4	492 x 492 x 97	2,360	
T111-294-003		12 x 24 x 4	289 x 594 x 97	1,700	
T111-294-002		20 x 24 x 4	492 x 594 x 97	2,830	
T111-294-001		24 x 24 x 4	594 x 594 x 97	3,400	
T111-294-017		16 x 25 x 4	391 x 619 x 97	2,360	
T111-294-018		20 x 25 x 4	492 x 619 x 97	2,950	
G4 / MERV 7 / Coarse 70%					
T111-502-062	R50	16 x 20 x 2	391 x 492 x 46	1,890	105
T111-502-015		20 x 20 x 2	492 x 492 x 46	2,360	
T111-502-003		12 x 24 x 2	289 x 594 x 46	1,700	
T111-502-004		20 x 24 x 2	492 x 594 x 46	2,830	
T111-502-002		24 x 24 x 2	594 x 594 x 46	3,400	
T111-502-020		16 x 25 x 2	391 x 619 x 46	2,360	
T111-502-136		20 x 25 x 2	492 x 619 x 46	2,950	75
T111-504-037		16 x 20 x 4	391 x 492 x 97	1,890	
T111-504-004		20 x 20 x 4	492 x 492 x 97	2,360	
T111-504-003		12 x 24 x 4	289 x 594 x 97	1,700	
T111-504-002		20 x 24 x 4	492 x 594 x 97	2,830	
T111-504-001		24 x 24 x 4	594 x 594 x 97	3,400	
T111-504-038		16 x 25 x 4	391 x 619 x 97	2,360	
T111-504-031		20 x 25 x 4	492 x 619 x 97	2,950	