



DriPak 2000

Product Overview


- High-loft layered melt blown synthetic media, stronger than fibreglass
- Non-shedding and water-resistant media
- Ultrasonically-welded pocket configuration that guarantees complete pocket inflation and eliminates crowding or leakage
- Strong and robust material that displays excellent abrasional resistance and performs well in 100% RH condition



Specification

EN779	M5 - F9
ASHRAE 52.2	MERV 10 - 15
ISO 16890	ePM10 70% - 85%
Filter Depth (mm)	305 - 914
Media Type	Synthetic
Frame Material	Galvanised Steel
Special Size Available	Yes
Antimicrobial Available	Optional
Single Header	Yes
Recommended Final Resistance	450 Pa
Max Operating Temperature	66°C
Air Filtration Certificate	UL 900

Initial Resistance vs. Airflow



Product Information

Part Number	Nominal Size Inches (W x H x D)	Actual Size mm (W x H x D)	Number of Pocket	Rated Airflow (CMH)	Rated Initial Resistance (Pa)
M5 / MERV 10					
M704-123-120	12 x 24 x 12	289 x 594 x 305	3	1,700	97
M704-135-120	20 x 24 x 12	492 x 594 x 305	5	2,800	
M704-116-120	24 x 24 x 12	594 x 594 x 305	6	3,400	
M704-123-150	12 x 24 x 15	289 x 594 x 381	3	1,700	84
M704-135-150	20 x 24 x 15	492 x 594 x 381	5	2,800	
M704-116-150	24 x 24 x 15	594 x 594 x 381	6	3,400	
M704-124-210	12 x 24 x 21	289 x 594 x 533	4	1,700	68
M704-136-210	20 x 24 x 21	492 x 594 x 533	6	2,800	
M704-118-210	24 x 24 x 21	594 x 594 x 533	8	3,400	
M704-124-240	12 x 24 x 24	289 x 594 x 610	4	1,700	53
M704-136-240	20 x 24 x 24	492 x 594 x 610	6	2,800	
M704-118-240	24 x 24 x 24	594 x 594 x 610	8	3,400	



DriPak 2000

Product Information

Part Number	Nominal Size Inches (W x H x D)	Actual Size mm (W x H x D)	Number of Pocket	Rated Airflow (CMH)	Rated Initial Resistance (Pa)
M6 / MERV 11 / ePM10 70%					
M706-123-100	12 x 24 x 10	289 x 594 x 254	3	1,700	123
M706-135-100	20 x 24 x 10	492 x 594 x 254	5	2,800	
M706-116-100	24 x 24 x 10	594 x 594 x 254	6	3,400	
M706-123-120	12 x 24 x 12	289 x 594 x 305	3	1,700	104
M706-135-120	20 x 24 x 12	492 x 594 x 305	5	2,800	
M706-116-120	24 x 24 x 12	594 x 594 x 305	6	3,400	
M706-123-150	12 x 24 x 15	289 x 594 x 381	3	1,700	90
M706-135-150	20 x 24 x 15	492 x 594 x 381	5	2,800	
M706-116-150	24 x 24 x 15	594 x 594 x 381	6	3,400	
M706-124-210	12 x 24 x 21	289 x 594 x 533	4	1,700	73
M706-136-210	20 x 24 x 21	492 x 594 x 533	6	2,800	
M706-118-210	24 x 24 x 21	594 x 594 x 533	8	3,400	
M706-124-240	12 x 24 x 24	289 x 594 x 610	4	1,700	55
M706-136-240	20 x 24 x 24	492 x 594 x 610	6	2,800	
M706-118-240	24 x 24 x 24	594 x 594 x 610	8	3,400	
F7 / MERV 13 / ePM10 80%					
M708-123-100	12 x 24 x 10	289 x 594 x 254	3	1,700	182
M708-135-100	20 x 24 x 10	492 x 594 x 254	5	2,800	
M708-116-100	24 x 24 x 10	594 x 594 x 254	6	3,400	
M708-123-120	12 x 24 x 12	289 x 594 x 305	3	1,700	148
M708-135-120	20 x 24 x 12	492 x 594 x 305	5	2,800	
M708-116-120	24 x 24 x 12	594 x 594 x 305	6	3,400	
M708-123-150	12 x 24 x 15	289 x 594 x 381	3	1,700	128
M708-135-150	20 x 24 x 15	492 x 594 x 381	5	2,800	
M708-116-150	24 x 24 x 15	594 x 594 x 381	6	3,400	
M708-124-210	12 x 24 x 21	289 x 594 x 533	4	1,700	86
M708-136-210	20 x 24 x 21	492 x 594 x 533	6	2,800	
M708-118-210	24 x 24 x 21	594 x 594 x 533	8	3,400	
M708-124-240	12 x 24 x 24	289 x 594 x 610	4	1,700	73
M708-136-240	20 x 24 x 24	492 x 594 x 610	6	2,800	
M708-118-240	24 x 24 x 24	594 x 594 x 610	8	3,400	



DriPak 2000

Product Information

Part Number	Nominal Size Inches (W x H x D)	Actual Size mm (W x H x D)	Number of Pocket	Rated Airflow (CMH)	Rated Initial Resistance (Pa)
F8 / MERV 14 / ePM10 85%					
M709-123-100	12 x 24 x 10	289 x 594 x 254	3	1,700	247
M709-135-100	20 x 24 x 10	492 x 594 x 254	5	2,800	
M709-116-100	24 x 24 x 10	594 x 594 x 254	6	3,400	
M709-123-120	12 x 24 x 12	289 x 594 x 305	3	1,700	213
M709-135-120	20 x 24 x 12	492 x 594 x 305	5	2,800	
M709-116-120	24 x 24 x 12	594 x 594 x 305	6	3,400	
M709-123-150	12 x 24 x 15	289 x 594 x 381	3	1,700	156
M709-135-150	20 x 24 x 15	492 x 594 x 381	5	2,800	
M709-116-150	24 x 24 x 15	594 x 594 x 381	6	3,400	
M709-124-210	12 x 24 x 21	289 x 594 x 533	4	1,700	101
M709-136-210	20 x 24 x 21	492 x 594 x 533	6	2,800	
M709-118-210	24 x 24 x 21	594 x 594 x 533	8	3,400	
M709-124-240	12 x 24 x 24	289 x 594 x 610	4	1,700	84
M709-136-240	20 x 24 x 24	492 x 594 x 610	6	2,800	
M709-118-240	24 x 24 x 24	594 x 594 x 610	8	3,400	
F9 / MERV 15 / ePM10 85%					
M700-123-150	12 x 24 x 15	289 x 594 x 381	3	1,700	208
M700-135-150	20 x 24 x 15	492 x 594 x 381	5	2,800	
M700-116-150	24 x 24 x 15	594 x 594 x 381	6	3,400	
M700-124-210	12 x 24 x 21	289 x 594 x 533	4	1,700	124
M700-136-210	20 x 24 x 21	492 x 594 x 533	6	2,800	
M700-118-210	24 x 24 x 21	594 x 594 x 533	8	3,400	
M700-124-240	12 x 24 x 24	289 x 594 x 610	4	1,700	111
M700-136-240	20 x 24 x 24	492 x 594 x 610	6	2,800	
M700-118-240	24 x 24 x 24	594 x 594 x 610	8	3,400	