



## VariSorb XL 15

### Product Overview


- High-efficiency filters designed to improve Indoor Air Quality
- Suitable for retrofit into existing HVAC systems, specification in new construction, or for direct replacement of 292 mm. depth, single-header filters
- Particulate and gaseous contaminant removal
- Highest activity carbon = highest adsorption
- Energy-efficient mini-pleat design
- Corrosion-free, non-metal construction
- Can assist in meeting National Ambient Air Quality Standards in nonattainment areas
- Mini carbon granules embedded in synthetic layers



### Specification

EN 779	F9
ASHRAE 52.2	MERV 15
Filter Depth (mm)	304
Media Type	Carbon
Frame Material	Plastic
Special Size Available	No
Header Type	Single Header
Recommended Final Resistance	375 Pa
Max Operating Temperature	51°C
CTC	≥ 60 wt. %
Target Gas	VOC

Initial Resistance vs. Airflow



### Product Information

Part Number	Nominal Size Inches (W x H x D)	Actual Size mm (W x H x D)	Rated Airflow (CMH)	Rated Initial Resistance (Pa)
M421-111-003N	24 x 12 x 12	592 x 287 x 304	1,700	120
M421-111-002N	24 x 20 x 12	592 x 490 x 304	2,800	
M421-111-001N	24 x 24 x 12	592 x 592 x 304	3,400	