

CỘNG HÒA XÃ HỘI CHỦ NGHĨA VIỆT NAM
Độc lập - Tự do - Hạnh phúc

BẢN TỰ CÔNG BỐ SẢN PHẨM

Số: 052 [REDACTED] 2018

I. Thông tin về tổ chức, cá nhân tự công bố sản phẩm

Số Giấy chứng nhận cơ sở đủ điều kiện ATTP : 000383/2016/ATTP-CNĐK Ngày cấp : 12/04/2016 Nơi cấp:
Cục An toàn Thực phẩm – Bộ Y Tế

II. Thông tin về sản phẩm

1. Tên sản phẩm:

Bao bì thực phẩm, dụng cụ, vật liệu bao gói, chứa đựng thực phẩm: Dụng cụ làm bánh bằng kim loại chống dính, nhãn hiệu San Neng, xuất xứ Trung Quốc.

2. Thành phần: Kim loại có chống dính (Nhôm/Thép/Đồng/Hợp kim)

3. Thời hạn sử dụng sản phẩm: Không có thời hạn sử dụng

Bảo quản tại nơi khô ráo, sạch sẽ, vệ sinh sau khi sử dụng.

4. Quy cách đóng gói và chất liệu bao bì:

Chất liệu bao bì: Đóng gói trong túi PE, ngoài là hộp giấy theo tiêu chuẩn xuất khẩu của nhà sản xuất

Quy cách đóng gói: Chiếc hoặc Bộ

5. Tên và địa chỉ cơ sở sản xuất sản phẩm :

SAN NENG BAKE WARE (WUXI) CO., LTD.

Địa chỉ: No.316 Youyi Northern RD., Xishan, Wuxi City, Jiangsu Province, China


III. Mẫu nhãn sản phẩm (đính kèm mẫu nhãn sản phẩm hoặc mẫu nhãn sản phẩm dự kiến)

IV. Yêu cầu về an toàn thực phẩm

Tổ chức, cá nhân sản xuất, kinh doanh thực phẩm đạt yêu cầu về an toàn thực phẩm theo:

QCVN 12-3: 2011/BYT: Quy chuẩn kỹ thuật quốc gia về an toàn vệ sinh đối với bao bì, dụng cụ tiếp xúc trực tiếp với thực phẩm bằng kim loại.

Chúng tôi xin cam kết thực hiện đầy đủ các quy định của pháp luật về an toàn thực phẩm và hoàn toàn chịu trách nhiệm về tính pháp lý của hồ sơ công bố và chất lượng, an toàn thực phẩm đối với sản phẩm đã công bố./.



HÌNH ẢNH SẢN PHẨM

bánh bằng kim loại chống dính, nhãn hiệu San Neng, xuất xứ Trung

bằng kim loại chống dính





Non-stick

1.2mm Al.Alloy

Al.Alloy Corrugated Sheet Pan (Non-stick)
600x400x25mm



Non-stick

0.7mm Alusteel


Alusteel Corrugated Sheet Pan (Non-stick)
718x460x60mm

Alusteel Corrugated Sheet Pan (Non-stick)
720x400x30mm



Al Alloy Sheet Pan (Non-stick)


1.5mm Al Alloy	660x460x30mm
1.2mm Al Alloy	600x400x20mm
1.2mm Al Alloy	600x400x25mm



1.2mm Al Alloy
Al Alloy Sheet Pan (P.F.A.)
600x400x25mm



1.5mm Al Alloy
Al Alloy Sheet Pan (Non-stick)
600x400x12mm



2.0mm Al Alloy
Al Alloy Sheet Pan (Hard Anodized)
600x400x4mm



1.5mm Al.Alloy
Al.Alloy Square Sheet Pan (Golden Non-stick)
280x280x30mm



1.5mm Al.Alloy
Al.Alloy Sheet Pan (Non-stick)
350x250x30mm
Al.Alloy Sheet Pan (Non-stick)
445x330x35mm



1.5mm Al.Alloy

Al.Alloy Sheet Pan-Flat Bar (Non-stick)

718x460x40mm

Al.Alloy Sheet Pan-Flat Bar (Non-stick)

718x460x25mm



Alusteel Sheet Pan-Flat Bar (Non-stick)
0.7mm Alusteel 600x400x30mm



Alusteel Sheet Pan (Non-stick)
0.7mm Alusteel 600x400x30mm

3 Rows Baguette Tray (Non-stick)

Al.Alloy 365x265x32mm

5 Rows Baguette Tray (Non-stick)

Al.Alloy 600x400x32mm




4 Rows Baguette Tray (Non-stick)

Al.Alloy 600x400x39 / 86x24mm



5 Rows Baguette Tray (Non-stick)

Al.Alloy 600x400x39 / 66x25mm





3 Rows Baguette Tray (Non-stick)

Al.Alloy 365x265x33 / 66x25mm




5 Rows Baguette Tray (Non-stick)

Al.Alloy 660x460x33 / 86x24mm
Al Alloy 600x400x33 / 66x25mm




15 Indents

0.7mm Alusteel 718x460x40mm 115x105x15mm
0.7mm Alusteel 718x460x40mm 115x105x15mm




2.8" Hamburger Bun Pan (Non-stick)-24 Indents (Flat Base)
0.8mm Alusteel 600x400x38mm ø70x65x12.5




4" Hamburger Bun Pan (Non-stick)-15 Indents (Flat Base)

0.8mm Alusteel 600x400x40mm ø108x89x15mm
0.7mm Alusteel 675x435x37mm ø102x88x12mm




4" Hamburger Bun Pan (Non-stick)-12 Indents (Flat Base)

0.8mm Alusteel 600x400x40mm ø107x95x15mm




Hamburger Bun Pan (Non-stick)-15 Indents

0.7mm Alusteel 675x435x50mm ø100x99x25mm




Hamburger Bun Pan (Nano Coating)-15 Indents

0.7mm Alusteel 718x460x40mm 115x105x15mm




Hot Dog Bun Pan (Non-stick)-12 Indents
0.8mm Alusteel 600x400x40mm
143x73x14.2 / 126x56mm



Hot Dog Bun Pan (Non-stick)-15 Indents
0.8mm Alusteel 600x400x40mm
180x60x16 / 165x28mm




Hot Dog Bun Pan (Non-stick)-12 Indents
0.8mm Alusteel 600x400x40mm
143x73x14.2 / 126x56mm



Hot Dog Bun Pan (Non-stick)-15 Indents
0.8mm Alusteel 600x400x40mm
180x60x16 / 165x28mm

Artivate Windows



Rectangular Bun Pan (Non-stick)-12 Indents
0.8mm Alusteel 600x400x48mm
115x80x23 / 105x68mm



Hot Dog Bun Pan (Non-stick)-8 Indents
0.8mm Alusteel 600x400x40mm
243x75x15 / 223x55mm


Artivate Windows




365x265x33mm




Alusteel
Lemon Cake Mould-9 Indents (Silicone)




365x265x16mm



Alusteel
Rectangular Cake Mould-10 Indents (Silicone)



365x265x21mm



Alusteel
Madeleine Mould-12 Indents (Silicone)




365x265x20mm



Alusteel
Madeleine Mould-11 Indents (Silicone)




365x265x20mm



Alusteel
Madeleine Mould-11 Indents (Silicone)



328x198x20mm




1.0mm Al.Alloy
Madeleine Mould-10 Indents (Silicone)



702x460x40



Alusteel
Lemon Cake Mould-40 Indents (Silicone)



600x400x37



Alusteel
Lemon Cake Mould-28 Indents (Silicone)



600x400x40




Alusteel
Peach Cake Mould-28 Indents (Silicone)



600x400x23



Alusteel
Madeleine Mould-28 Indents (Silicone)




600x400x24mm




Alusteel
Madeleine Mould-24 Indents (Silicone)




702x460x25mm




Alusteel
Madeleine Mould-35 Indents (Silicone)



816x400x26mm



Alusteel
Pineapple Cake Mould-48 Indents (Non-stick)



600x400x20mm



Alusteel
Tart Mould-40 Indents (Non-stick)




600x400x39mm



Alusteel
Half Sphere Cake Mould-24 Indents (Silicone)




600x400x52mm




Alusteel
Papaya Cake Mould-12 Indents (Silicone)



600x400x29mm



Alusteel
Heart Cake Mould-24 Indents (Silicone)




600x400x24mm



Alusteel
Mini Heart Cake Mould-54 Indents (Silicone)




600x400x39mm



Alusteel
Jumbo Muffin Mould-15 Indents (Silicone)




600x400x27mm




Alusteel
Lovely Pig Cake Mould-32 Indents (Silicone)




Soccer Ball Mould (Non-stick)



Alusteel
6 Straps Bomb Mould (Non-stick)



Alusteel
2 Straps Crimped Round Bread Mould (Non-stick)



Alusteel
6 Straps Crimped Round Bread Mould (Non-stick)



Alusteel
3 Straps Crimped Round Bread Mould (Non-stick)



Alusteel
6 Straps Crimped Round Cake Mould (Non-stick)





546x291x116mm




5 Straps Crimped round Cake Mould (Non-stick)

Patent No.:ZL201130396326.6




615x211x107mm



Alusteel

6 Straps Gold Ingot Cake Mould (Non-stick)


NEW



Alusteel

4 Links Stollen Mould (Non-stick)
575x265x75mm

NEW



Alusteel

4 Links Stollen Mould (Non-stick)
575x245x71mm



- 4 Straps 900g Loaf Pan-W/O Lid
- 3 Straps 1000g Loaf Pan-W/O Lid
- 3 Straps 1200g Loaf Pan-W/O Lid



- SN2201** 1200g Loaf Pan (Non-stick)
- SN2206** 1000g Loaf Pan (Non-stick)
- SN2211** 900g Loaf Pan (Non-stick)

Activate Windows
Go to Settings to activate Windows.



2.0mm Al.Alloy

- Round Ring (Hard Anodized)
- Round Ring (Hard Anodized)
- Round Ring (Hard Anodized)
- Round Ring (Hard Anodized)

- 6" Round Ring(Hard Anodized)
- 8" Round Ring(Hard Anodized)
- 10" Round Ring(Hard Anodized)



1.0mm Al.Alloy

- | | | |
|---------------|--|---------------------|
| SN2022 | 900g Loaf Pan (Non-stick Series 1000) | Inner 325x107x120mm |
| SN2027 | 900g Loaf Pan (Non-stick Series 2000) | Inner 325x106x122mm |
| SN2012 | 1000g Loaf Pan (Non-stick Series 1000) | Inner 327x121x121mm |
| SN2017 | 1000g Loaf Pan (Non-stick Series 3000) | Inner 327x121x121mm |
| SN2004 | 1200g Loaf Pan (Non-stick Series 1000) | Inner 370x120x125mm |
| SN2000 | 1500g Loaf Pan (Non-stick Series 1000) | Inner 450x128x130mm |



0.8mm Alusteel

225g Loaf Pan (Non-stick)

Inner 180x100x62mm



6" Pizza Pan Cover

7" Pizza Pan Cover

8" Pizza Pan Cover

9" Pizza Pan Cover

10" Pizza Pan Cover

12" Pizza Pan Cover

15" Pizza Pan Cover




1.0mm Al.Alloy

385g Corrugated Loaf Pan (Non-stick)
Inner 217x94x77mm



1.0mm Al.Alloy (Non-stick)

Cake Mould-W/O Lid Inner 110x60x50mm
 Cake Mould-W/O Lid Inner 130x50x50mm




0.7mm Alusteel (Non-stick)

Cake Mould-W/O Lid Inner 270x55x50mm



1.5mm Al.Alloy

3-color Bread Mould
(Double-Sides Non-stick)



1.0mm Al.Alloy (Non-stick)
SN2179 Square Loaf Pan


Inner 60x60x60mm



1.0mm Alusteel (Non-stick)
 Round Loaf Pan Inner $\varnothing 45 \times 300$ mm



Al.Alloy (Non-stick)
 Round Loaf Pan Inner $\varnothing 83 \times 287$ mm



1.0mm Al.Alloy

450g Corrugated Loaf Pan(Non-stick)-W/O Lid
Inner 196x106x110mm



Al.Alloy + Alusteel (Non-stick)

Half Sphere Loaf Pan

Inner 196x106x110mm



0.7mm Alusteel (Non-stick)

Half Sphere Loaf Pan 271x148x98mm



6" Deep Pizza Pan

7" Deep Pizza Pan


8" Deep Pizza Pan

9" Deep Pizza Pan

10" Deep Pizza Pan

12" Deep Pizza Pan

13" Deep Pizza Pan



Removable Bottom

Rectangular Fluted Tart Mould

Rectangular Fluted Tart Mould



Removable Bottom

Heart Fluted Tart Mould

Heart Fluted Tart Mould



Removable Bottom

6" Deep Round Emossed Cake Pan

152x145x89mm

8" Deep Round Emossed Cake Pan

203x196x94mm




6" Heart Pan

8" Heart Pan

10" Heart Pan

Non-stick



2 Straps Alusteel Loaf Pan 277x253x120mm

1.8mm Al. Alloy Hard Anodized

1.5mm Al. Alloy P.F.A




9" Perforated Pizza Pan

231x211x36mm

5 Straps Pizza Pan

585x400x35.5mm




8 Straps Al.Alloy Loaf Pan 570x430x65mm

Al. Alloy Non-stick



800x600x36mm




Baguette Tray (8 Rows)

Al. Alloy Non-stick



800x600x32mm



Baguette Tray (8 Rows)

ỘI DUNG NHÃN PHỤ SẢN PHẨM DỰ KIẾN

**Dụng cụ làm bánh bằng kim loại chống
dính, nhãn hiệu San Neng, xuất xứ Trung
Quốc**

- : Trung Quốc
- : SAN NENG BAKE WARE (WUXI) CO., LTD.
- : No. 316 Youyi Northern RD., Xishan, Wuxi City, Jiangsu
Province, China

Bảo quản : Bảo quản tại nơi khô ráo, sạch sẽ

Quy cách đóng gói : Chiếc hoặc bộ

Mã ERP : ...

743-2018-00017901 - Trang 1 / 2

KẾT QUẢ THỬ NGHIỆM

Mã số mẫu 743-2018-00017901
 Mã số kết quả AR-18-VD-020712-02 / EUVNHC-00036112

(*Kết quả này thay cho kết quả số AR-18-VD-020712-01/743-



Tên mẫu: Dụng cụ làm bánh bằng kim loại chống dính, nhãn hiệu San Neng, xuất xứ Trung Quốc
 Tình trạng mẫu: Mẫu thành phẩm
 Ngày nhận mẫu: 30/03/2018
 Ngày bắt đầu phân tích: 30/03/2018
 Ngày hoàn thành phân tích: 04/04/2018
 Mã số PO của khách hàng: SWL218030174

STT	CHỈ TIÊU THỬ NGHIỆM	ĐƠN VỊ	PHƯƠNG PHÁP THỬ	KẾT QUẢ
1	VD771 VD (a) Arsenic (As) (acid citric 0.5%, 60°C, 30 phút)	µg/ml	QCVN 12-3:2011/BYT	Không phát hiện (LOD=0.002)
2	VD772 VD (a) Arsenic (As) (nước, 95°C, 30 phút)	µg/ml	QCVN 12-3:2011/BYT	Không phát hiện (LOD=0.002)
3	VD774 VD (a) Cadimi (Cd) (acid citric 0.5%, 60°C, 30 phút)	µg/ml	QCVN 12-3:2011/BYT	Không phát hiện (LOD=0.015)
4	VD775 VD (a) Cadimi (Cd) (Nước, 95°C, 30 phút)	µg/ml	QCVN 12-3:2011/BYT	Không phát hiện (LOD=0.015)
5	VD777 VD (a) Chì (Pb) (acid citric 0.5%, 60°C, 30 phút)	µg/ml	QCVN 12-3:2011/BYT	Không phát hiện (LOD=0.002)
6	VD778 VD (a) Chì (Pb) (nước, 95°C, 30 phút)	µg/ml	QCVN 12-3:2011/BYT	Không phát hiện (LOD=0.002)
7	VD779 VD Formaldehyd (nước, 95°C, 30 phút)		QCVN 12-3:2011/BYT	Âm tính
8	VD0FP VD Phenol (nước, 95°C, 30 phút)	µg/ml	QCVN 12-3:2011/BYT	Không phát hiện (LOD=1)

LOD: Giới hạn phát hiện của phương pháp

743-2018-00017901 - Trang 2 / 2

KẾT QUẢ THỬ NGHIỆM

Ký tên

Nguyễn Phương Phi
Giám Đốc Sản XuấtLý Hoàng Hải
Tổng Giám Đốc

Bản kết quả được xác nhận điện tử bởi Nguyễn Phương Phi 06/06/2018

Ghi chú giải thích

Tất cả các thông tin trong bản kết quả này phải được sao chép đầy đủ; bản kết quả này chỉ có giá trị với mẫu thử do khách hàng cung cấp. Các kết quả phân tích được thu thập và trình bày theo những điều khoản chung về cung cấp dịch vụ, các thông tin này được cung cấp theo yêu cầu của quý khách. Trong trường hợp cần cung cấp một kết luận về tính phù hợp hay không phù hợp của kết quả, độ không đảm bảo đo của kết quả sẽ được cộng thêm hoặc trừ bớt để cho kết quả phân tích có thể được so sánh với các giới hạn quy định hoặc chuẩn mực. Việc này sẽ không áp dụng cho các quy chuẩn có sẵn độ không đảm bảo đo của riêng chúng. Mọi phép thử được nhận diện bằng một mã số nhận dạng bao gồm 5 chữ số, thông tin mô tả của các phép thử này sẽ được cung cấp khi quý khách có yêu cầu. Các phương pháp phân tích được xác định bởi 2 ký tự VD được thực hiện tại phòng thí nghiệm Eurofins Sac Ky Hai Dang (Ho Chi Minh). (a) chủ thích rằng các phép thử này được công nhận theo ISO/IEC 17025:2005 VILAS 238

**HỦY BỎ VÀ THAY THẾ***